

CPVS below 30 kW



Part number	Type	l/min	cfm	HP	kW	Bar	dB(A)	kg	L x W x H (mm)
Base mounted + Inverter									
4152006918	CPVS 20/8 400/50	660	23	20	15	5,5 - 9,5	69	394	1204 x 805 x 1220
4152006940	CPVS 20/8 440/60	2520	89	20	15		69	394	1204 x 805 x 1220
4152006919	CPVS 20/10 400/50	470	17	20	15	7,5-12,5	69	394	1204 x 805 x 1220
4152006941	CPVS 20/10 440/60	2210	78	20	15		69	394	1204 x 805 x 1220
4152006920	CPVS 25/8 400/50	880	31	25	18,5	5,5 - 9,5	72	403	1204 x 805 x 1220
4152006942	CPVS 25/8 440/60	3170	112	25	18,5		72	403	1204 x 805 x 1220
4152006921	CPVS 25/10 400/50	670	24	25	18,5	7,5-12,5	72	403	1204 x 805 x 1220
4152006943	CPVS 25/10 440/60	2730	96	25	18,5		72	403	1204 x 805 x 1220
4152006922	CPVS 30/8 400/50	1020	36	30	22	5,5 - 9,5	74	419	1204 x 805 x 1220
4152006944	CPVS 30/8 440/60	3690	130	30	22		74	419	1204 x 805 x 1220
4152006923	CPVS 30/10 400/50	850	30	30	22	7,5-12,5	74	419	1204 x 805 x 1220
4152006945	CPVS 30/10 440/60	3240	114	30	22		74	419	1204 x 805 x 1220
4152006924	CPVS 40/8 400/50	1240	44	40	30	5,5 - 9,5	77	447	1204 x 805 x 1220
4152006946	CPVS 40/8 440/60	4170	147	40	30		77	447	1204 x 805 x 1220
4152006925	CPVS 40/10 400/50	980	35	40	30	7,5-12,5	77	447	1204 x 805 x 1220
4152006947	CPVS 40/10 440/60	3640	128	40	30		77	447	1204 x 805 x 1220

CPVS below 30 kW



Part number	Type	l/min	cfm	HP	kW	Bar	dB(A)	kg	L x W x H (mm)
Base mounted + Inverter + Dryer									
4152006926	CPVS 20/8 D 400/50	660	23	20	15	5,5 - 9,5	69	467	1659 x 805 x 1220
4152006948	CPVS 20/8 D 440/60	2520	89	20	15		69	467	1659 x 805 x 1220
4152006927	CPVS 20/10 D 400/50	470	17	20	15	7,5-12,5	69	467	1659 x 805 x 1220
4152006949	CPVS 20/10 D 440/60	2210	78	20	15		69	467	1659 x 805 x 1220
4152006928	CPVS 25/8 D 400/50	880	31	25	18,5	5,5 - 9,5	72	476	1659 x 805 x 1220
4152006950	CPVS 25/8 D 440/60	3170	112	25	18,5		72	476	1659 x 805 x 1220
4152006929	CPVS 25/10 D 400/50	670	24	25	18,5	7,5-12,5	72	476	1659 x 805 x 1220
4152006951	CPVS 25/10 D 440/60	2730	96	25	18,5		72	476	1659 x 805 x 1220
4152006930	CPVS 30/8 D 400/50	1020	36	30	22	5,5 - 9,5	74	492	1659 x 805 x 1220
4152006952	CPVS 30/8 D 440/60	3690	130	30	22	5,5 - 9,5	74	492	1659 x 805 x 1220
4152006931	CPVS 30/10 D 400/50	850	30	30	22	7,5-12,5	74	492	1659 x 805 x 1220
4152006953	CPVS 30/10 D 440/60	3240	114	30	22		74	492	1659 x 805 x 1220
4152006932	CPVS 40/8 D 400/50	1240	44	40	30	5,5 - 9,5	77	520	1659 x 805 x 1220
4152006954	CPVS 40/8 D 440/60	4170	147	40	30		77	520	1659 x 805 x 1220
4152006933	CPVS 40/10 D 400/50	980	35	40	30	7,5-12,5	77	520	1659 x 805 x 1220
4152006955	CPVS 40/10 D 440/60	3640	128	40	30		77	520	1659 x 805 x 1220

CPVS below 30 kW



Part number	Type	l/min	cfm	HP	kW	Bar	dB(A)	kg	L x W x H (mm)
Tank mounted 500L + Inverter + Dryer									
4152006934	CPVS 20/8 D 500L 400/50	660	23	20	15	5,5 - 9,5	69	657	1939 x 805 x 1841
4152006956	CPVS 20/8 D 500L 440/60	2520	89	20	15		69	657	1939 x 805 x 1841
4152006935	CPVS 20/10 D 500L 400/50	470	17	20	15	7,5-12,5	69	657	1939 x 805 x 1841
4152006957	CPVS 20/10 D 500L 440/60	2210	78	20	15		69	657	1939 x 805 x 1841
4152006936	CPVS 25/8 D 500L 400/50	880	31	25	18,5	5,5 - 9,5	72	666	1939 x 805 x 1841
4152006958	CPVS 25/8 D 500L 440/60	3170	112	25	18,5		72	666	1939 x 805 x 1841
4152006937	CPVS 25/10 D 500L 400/50	670	24	25	18,5	7,5-12,5	72	666	1939 x 805 x 1841
4152006959	CPVS 25/10 D 500L 440/60	2730	96	25	18,5		72	666	1939 x 805 x 1841
4152006938	CPVS 30/8 D 500L 400/50	1020	36	30	22	5,5 - 9,5	74	682	1939 x 805 x 1841
4152006960	CPVS 30/8 D 500L 440/60	3690	130	30	22		74	682	1939 x 805 x 1841
4152006939	CPVS 30/10 D 500L 400/50	850	30	30	22	7,5-12,5	74	682	1939 x 805 x 1841
4152006961	CPVS 30/10 D 500L 440/60	3240	114	30	22		74	682	1939 x 805 x 1841